



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/802,977

03/16/2004

Chris Smith

CYPR-CD03005

3922

7590 01/23/2007
WAGNER, MURABITO & HAO LLP
Third Floor
Two North Market Street
San Jose, CA 95113

EXAMINER

TRA, ANH QUAN

ART UNIT

PAPER NUMBER

2816

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
----------------------------------------	-----------	---------------

3 MONTHS

01/23/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No. 10/802,977	Applicant(s) SMITH ET AL.	
	Examiner Quan Tra	Art Unit 2816	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11/21/06.
- 2a) ☒ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/21/06 has been entered. A new ground of rejection is introduced as necessitated by amendment.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3, 6, 10, 11, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hara et al (USP 5994937) in view of Kwon (USP 5926045) and Mitsuishi (USP 6031366).

As to claim 1, Hara et al.'s figure 4 shows a timer circuit comprising an output stage (410, 412) coupled to a configurable delay element (402, 406); and a pull-down path (414) coupled to the output stage, the pull-down path coupled to receive a reference signal (Vref) that varies in proportion to temperature (figure 5) and wherein a delay through the timer circuit is inversely proportional to the temperature. The pull down path functions as current source. Thus, figure 4 shows all limitations of claim 1 except for the pull-down path is a variable current source. However, Kwon's figure 2 shows a timer circuit having variable current source 20 coupled to output state 10 for adjusting the slew rate or frequency outputted from the output

Art Unit: 2816

state 10. Therefore, it would have been obvious to one having ordinary skill in the art to make Hara et al.'s pull-down path to be a variable current source for the purpose of having more flexibility of controlling the delay time of the delay circuit. The modified Hara et al.'s figure 4 fails to show the detail of the modified current source (414. It is noted that the current source 424 is also modified in order to ensure a balance output signal). However, Mitsubishi's figure 3 shows a variable current source that compatible with Hara et al.'s pull-down state and having simple structure. Therefore, it would have been obvious to one having ordinary skill in the art to use Mitsubishi's variable current source for Hara et al.'s modified current source (transistor 414) for the purpose of saving cost. Thus, the modified Hara et al. reference further shows that the configurable delay element (402, 406) comprises plurality of selectively-activated component (Mitsubishi's IS1-Isn in the modified transistor 424, as noted above transistor 424 is also modified to become variable current source in order to ensure a balance output signal) operable to adjust a delay through the timer circuit.

As to claim 2, the modified Hara et al.'s figure 4 shows that the reference signal is derived from a band gap reference circuit (figure 5).

As to claim 3, the modified Hara et al.'s figure 4 shows that the reference signal is a VPTAT voltage signal (col. 4, lines 50-51).

As to claim 6, the modified Hara et al.'s figure 4 shows that the circuit for providing a selectable amount of pull down current comprises a plurality of gated pull-down circuits coupled in parallel wherein each gated pull-down circuit comprises a first switch (S_n) having controlled by a respective configuration bit and a series coupled second transistor (M_n) having a gate controlled by said reference signal. The modified Hara et al.'s figure 4 fails to show that the switches S_1 - S_n are transistors. However, transistor using as a switch is well known in the art.

Art Unit: 2816

It would have been obvious to one having ordinary skill in the art to use transistors for switches S1-Sn for the purpose of saving space and cost.

Claims 10 and 11 recite similar limitations of claims above. Therefore, they are rejected for the same reasons.

As to claims 15 and 16, it is seen as an intended use for using the modified Hara et al.'s in a memory circuit.

3. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hara et al (USP 5994937) in view of Kwon (USP 5926045) and Mitsuishi (USP 6031366) and Saeki (USP 6388490).

As to claims 1 and 4, the modified Hara et al.'s figure 4 fails to show plurality of selectively active component that comprises a plurality of gated capacitors which can be selectively coupled to the output stage via a plurality of corresponding pass gates. However, Saeki's figure 3 shows a plurality of gated capacitors (CAP11-CAP15) which can be selectively coupled to output stage MP01-MN02 via a plurality of corresponding pass gates MN11-MN15 in order to adjust the delay outputted from the output stage. Therefore, it would have been obvious to one having ordinary skill in the art to add Saeki's delay adjusting circuit to Hara et al.'s output stage for the purpose of having more flexibility of controlling the delay of the signal outputted by the output stage.

As to claim 2, the modified Hara et al.'s figure 4 shows that the reference signal is derived from a band gap reference circuit (figure 5).

As to claim 3, the modified Hara et al.'s figure 4 shows that the reference signal is a VPTAT voltage signal (col. 4, lines 50-51).

As to claim 6, the modified Hara et al.'s figure 4 shows that the circuit for providing a selectable amount of pull down current comprises a plurality of gated pull-down circuits coupled

Art Unit: 2816

in parallel wherein each gated pull-down circuit comprises a first switch (S_n) having controlled by a respective configuration bit and a series coupled second transistor (M_n) having a gate controlled by said reference signal. The modified Hara et al.'s figure 4 fails to shows that the switches S_1 - S_n are transistors. However, transistor using as a switch is well known in the art. It would have been obvious to one having ordinary skill in the art to use transistors for switches S_1 - S_n for the purpose of saving space and cost.

Claims 10 and 11 recite similar limitations of claims above. Therefore, they are rejected for the same reasons.

As to claims 15 and 16, it is seen as an intended use for using the modified Hara et al.'s in a memory circuit.

As to claim 5, the modified Hara et al.'s figure 4 shows that the configurable delay element further comprises a plurality of configuration bits (inputs of Saeki's transistors MN11-MN15) each for controlling a respective pass gate.

As to claim 7, the modified Hara et al.'s figure 4 shows that the circuit for providing a selectable amount of pull down current comprises a plurality of gated pull-down circuits coupled in parallel wherein each gated pull-down circuit comprises a first switch (S_n) having controlled by a respective configuration bit and a series coupled second transistor (M_n) having a gate controlled by said reference signal. The modified Hara et al.'s figure 4 fails to shows that the switches S_1 - S_n are transistors. However, transistor using as a switch is well known in the art. It would have been obvious to one having ordinary skill in the art to use transistors for switches S_1 - S_n for the purpose of saving space and cost.

As to claim 8, the modified Hara et al.'s figure 4 shows that the plurality of selectively activated components comprises a plurality of gated capacitors which can be selectively coupled to the output stage via a plurality of corresponding pass gates.

Art Unit: 2816

As to claim 9, the modified Hara et al.'s figure 4 shows that the configurable delay element further comprises a plurality of configuration bits each for controlling a respective pass gate.

Claims 12-14 and 17-20 recite similar limitations of claims above. Therefore, they are rejected for the same reasons.

Response to Arguments

4. Applicant's arguments have been fully considered but they are not persuasive.

Applicant argues that the modified Hara et al.'s figure 4 fails to show the configurable delay element comprises plurality of selectively-activated component operable to adjust a delay through the timer circuit. However, the variable current source that replaces Hara et al.'s transistor 424 or the newly added selectable capacitor shows plurality of selectively-activated component operable to adjust a delay through the timer circuit.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quan Tra whose telephone number is 571-272-1755. The examiner can normally be reached on 8:00 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2816

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Quan Tra', with a long horizontal flourish extending to the right.

QUAN TRA
PRIMARY EXAMINER
ART UNIT 2816

January 5, 2007